# Carlyle's House

24 Cheyne Row Chelsea London SW3 5HL

T: 020 7352 5108

E: <a href="mailto:carlyleshouse@nationaltrust.org.uk">carlyleshouse@nationaltrust.org.uk</a>



(Entrance to Carlyle's House, @National Trust / Chris Davies)

# Introduction

- Situated in a quiet residential area between the Kings Road and the embankment.
- Carlyle's House, (opened in 1895) is in a terrace of 10 houses built in 1708.
- Interior and exterior Grade II listed building.
- A tall house set over five levels with narrow entrance, dark hallways, and many stairs.

- Small Victorian walled garden, access by steps.
- Original outside privy for visitors' use. No accessible toilet.

### **Visitor information**

- Volunteers are here to welcome and help all visitors.
- Mobile telephone reception is intermittent throughout the building; best reception is in the garden.
- Assistance dogs are welcome. Due to limited open space other dogs are not allowed.
- Light levels are low around the property, to protect historic collection items.
- Due to the narrow hall, steep stairs and for the protection of the walls and fabric of the house, large bags will be placed in the office.
- No facilities to hang wet coats and umbrellas.
- No flash photography.
- For H&S reasons the house is limited to 30 visitors at any one time.

# **Travel & Parking Facilities**

- Sloane Square & South Kensington, the nearest tube stations, both approximately 1
- mile from the property. (20 minutes walk)
- Bus numbers 11, 22, 19, 319 & 211 all stop at Chelsea Town Hall (7 minute walk).
- Tourist maps outside the Chelsea Library indicate where Carlyle's House is.
- The 170 bus stops at the Albert Bridge on the Embankment (3 minute walk)
- Two disabled parking spaces on Lawrence Street (one minute from Cheyne Row)
- Cheyne Row is resident parking only, except on Sunday & BHM.
- Bicycle racks nearby on Cheyne Walk.

#### WCs

- No accessible toilets.
- One WC in the original outside privy building. Reached via the garden path.
- Door opens inwards.
- There are no adult or baby changing facility on the property
- Lighting in the toilet is an ordinary overhead light bulb.
- There are no automatic hand driers.

# **Entrance and Visitor Reception**

- Uneven public pavement (maintained by the Royal Borough of Kensington &
- Chelsea), there is no other route/option.
- The property has one main entrance from street level with 4 uneven steps. There is no ramp available or alternative level route
- Original railings on both sides of the steps.
- To enter the house you need to pull 'visitors bell' on the right side of the door 145cm high from front step.
- A volunteer/staff member will open the door manually for entry and exit.
- The front door width is 90cm and opens inwards.
- The narrow hall and turning into ground floor room is 62cm wide.
- All rooms have carpets and soft furnishings.
- There is stair carpet on all stairs.
- Kitchen floor is laid with flagstones.
- The house is lit by electric lamps.
- Limited natural light throughout the house.
- There are chairs throughout the house (with a green ribbon on) for visitors to sit on.
- There are no chairs with armrests.

#### House

- Access to building is by climbing the steps to the front door.
- The door is manual opening by a volunteer.
- Access to garden is through the house via the entrance hall
- Two internal steps, go down to the back door
- that leads into the garden.
- Back door width is 66cm a further two steps lead down into the garden.
- Access to the upper floors and basement is by stairs only.
- Handrail only on the right side, going up
- Following areas less than 750mm:
  - o Part of the entrance hall (fixed hall table) ground floor
  - o Back door to garden ground floor opens outward
  - WC door garden

- Door to china closet ground floor
- Door to bedroom closet first floor
- Landing space to attic third floor
- Attic door third floor
- Kitchen door lower ground basement
- All rooms are quite small for turning a wheelchair
- There are seats in all rooms to sit on
- No armrests on seats
- Not every room has a volunteer we will make someone available to assist where
- possible
- No WCs in the house
- There is no access to for any powered wheelchairs or mobility vehicles in the
- house.
- Visitors are welcome to sit in one of the rooms on the ground floor.

# Catering

- There are no catering facilities at the property there are coffee shops and
- restaurants nearby on the Kings Road.

## Retail

There is no shop at the property.

#### Garden

- There is a small walled garden at the back of the house.
- Uneven paved area with a step of uneven height up to garden.
- There is no handle rail.
- The pathways are gravelled.
- There is a small area of grass
- The path slopes down slightly to uneven paving outside the WC
- There are two benches one wooden and one metal and one metal garden seat.

## **Contact details for more information**

T: 020 7352 5108

E: carlyleshouse@nationaltrust.org.uk

Date: 13 November 2023